BEL-AIR Medium-duty Carrying Cases

STANDARD HARDWARE

Shell: High-density Polyethylene

Valance: 1 7/8" Aluminum



Valance With

Black Tape

Lid Stay: 5" Lid Stay

Hinge: Continuous "Piano" Style

Handle: Solid Plastic Molded



Latch: Locking Chrome Latch



OPTIONAL HARDWARE



- Optional Valance with 1/2" Flange

- Telescoping handle
- Built-in rigid wheels
- Built-in combination lock
- Built-in key lock
- Stainless steel padlock hasp
- Stainless steel latch protector
- Variety of handles and latches
- Seperable hinges
- Label and card holders
- Rubber, metal, plastic feet

All dims are approximate inside dims in inches.



Heights shown are the minimum and maximum heights possible for the case lid and base respectively. Not all lid and base combinations are possible.

Standard Hardware Configuration ->

* = horizontal ribs # = shell w/o ribs

Weight (lbs.) (approximate at

S c n t

Length	Width	Total Height	Lid Height	Base Height	Case I.D.#	tallest height)	e s	e s	e s	y s
8	6 1/2	4 to 7	2 to 3 1/2	2 to 3 1/2	PE0806	3	1	1	1	1
9	9	5 to 12	2 1/2 to 6	2 1/2 to 6	PE0909	4	1	1	1	1
11	4	3 to 6	1 1/2 to 3	1 1/2 to 3	PE1104#	3	1	2	1	1
11	7	4 to 9	2 to 4 1/2	2 to 4 1/2	PE1107#	4	1	2	1	1
10 3/4	8	4 to 9	2 to 4 1/2	2 to 4 1/2	PE1108*	4	1	2	1	1
12	9	5 to 10	2 1/2 to 5	2 1/2 to 5	PE1209	5	1	2	1	1
12	10	4 to 6	2 to 3	2 to 3	PE1210#	5	1	2	1	1
12	12	4 to 9	2 to 4 1/2	2 to 4 1/2	PE1212#S	6	1	2	1	1
12	12	7 to 13 1/2	2 to 4 1/2	5 to 9	PE1212#M	7	1	2	1	1
12	12	10 to 18	5 to 9	5 to 9	PE1212#D	9	1	2	1	1
14	8	4 to 9	2 to 4 1/2	2 to 4 1/2	PE1408S	6	1	2	1	1
14	8	8 to 13 1/2	2 to 4 1/2	6 to 9	PE1408M	7	1	2	1	1
14	8	12 to 18	6 to 9	6 to 9	PE1408D	8	1	2	1	1
14	10	5 to 9	2 1/2 to 4 1/2	2 1/2 to 4 1/2	PE1410*S	7	1	2	1	1
14	10	8 to 13 1/2	2 1/2 to 4 1/2	5 1/2 to 9	PE1410*M	8	1	2	1	1
14	10	11 to 18	5 1/2 to 9	5 1/2 to 9	PE1410*D	9	1	2	1	1
15	10	7 to 8	3 1/2 to 4	3 1/2 to 4	PE1510	7	1	2	1	1
15	11	5 to 8 1/2	2 1/2 to 3 1/2	2 1/2 to 5	PE1511	8	1	2	1	1
16	6 1/2	5 to 9	2 1/2 to 4 1/2	2 1/2 to 4 1/2	PE1606	5	1	2	1	1
16	10	5 to 9	2 1/2 to 4 1/2	2 1/2 to 4 1/2	PE1610	6	1	2	1	1
16	11 1/2	9 to 18	4 1/2 to 8 1/2	4 1/2 to 9 1/2	PE1612D	9	1	2	1	1



Heights shown are the minimum and maximum heights possible for the case lid and base respectively. Not all lid and base combinations are possible.

Standard Hardware Configuration ->

* = horizontal ribs # = shell w/o ribs

Weight (lbs.)
(approximate at tallest height)

HL aaH atiS Icnt Ihga eeey ssss

Length	Width	Total Height	Lid Height	Base Height	Case I.D.#	tallest height)	e s	e s		y s
15 1/4	13 1/4	5 to 7	2 1/2 to 3 1/2	2 1/2 to 3 1/2	PE1614S	9	1	2	1	1
15 1/4	13 1/4	10 to 13	2 1/2 to 3 1/2	7 1/2 to 9 1/2	PE1614M	10	1	2	1	1
15 1/4	13 1/4	15 to 19	7 1/2 to 9 1/2	7 1/2 to 9 1/2	PE1614D	11	1	2	1	1
17	10 1/2	5 to 9	2 1/2 to 4 1/2	2 1/2 to 4 1/2	PE1710	7	1	2	1	1
17	11	4 to 6	2 to 3	2 to 3	PE1711#	7	1	2	1	1
17	12 3/4	4 to 9	2 to 4 1/2	2 to 4 1/2	PE1712*	8	1	2	1	1
17	15	7 to 13	3 1/2 to 6 1/2	3 1/2 to 6 1/2	PE1715	9	1	2	1	1
18	10	5 to 16	2 1/2 to 8	2 1/2 to 8	PE1810	8	1	2	1	1
18	10 1/2	5 to 12	2 1/2 to 6	2 1/2 to 6	PE1810*	7	1	2	1	1
17 1/2	12 1/2	6 to 13 1/2	3 to 6	3 to 7 1/2	PE1813S	9	1	2	1	1
17 1/2	12 1/2	11 to 17	3 to 6	8 to 11	PE1813M	10	1	2	1	1
17 3/4	13 3/4	7 to 11	3 1/2 to 5 1/2	3 1/2 to 5 1/2	PE1814*	10	1	2	1	1
17 1/2	17 1/2	6 to 12	3 to 6	3 to 6	PE1818#	10	1	2	1	1
19	5	4 to 8	2 to 4	2 to 4	PE1905#	8	1	2	1	1
19	9	4 to 12	2 to 6	2 to 6	PE1909	9	1	2	1	1
19	12 1/4	5 to 15	2 1/2 to 7 1/2	2 1/2 to 7 1/2	PE1912*	10	1	2	1	1
20	6	5 to 9	2 1/2 to 4 1/2	2 1/2 to 4 1/2	PE2006	8	1	2	1	2
20	11 3/4	6 to 11	3 to 5 1/2	3 to 5 1/2	PE2012*	10	1	2	1	2
20	14	4 to 12	2 to 6	2 to 6	PE2014	11	1	2	1	2
20 3/4	14 1/4	5 to 12 1/2	2 1/2 to 6 1/4	2 1/2 to 6 1/4	PE2014*	11	1	2	1	2
20	16	7 to 14	3 1/2 to 7	3 1/2 to 7	PE2016	12	1	2	1	2
20	16	6 to 13	3 to 6 1/2	3 to 6 1/2	PE2016*	12	1	2	1	2
21	7	4 to 7	2 to 3	2 to 4	PE2107	9	1	2	1	2
21	10	4 to 10	2 to 5	2 to 5	PE2110#S	11	1	2	1	2
21	10	9 to 15	2 to 5	7 to 10	PE2110#M	13	1	2	1	2
21	10	14 to 20	7 to 10	7 to 10	PE2110#D	15	1	2	1	2
21	13	7 to 13	3 1/2 to 6 1/2	3 1/2 to 6 1/2	PE2113	12	1	2	1	2
21	14	6 to 16	3 to 8	3 to 8	PE2114	12	1	2	1	2
21	17	6 to 12	3 to 6	3 to 6	PE2117	13	1	2	1	2
22	8	6 to 24	3 to 12	3 to 12	PE2208D	13	1	2	1	2
22	16	6 to 9	3 to 4 1/2	3 to 4 1/2	PE2216S	13	1	2	1	2
22	16	8 1/2 to 12 1/2	3 to 4 1/2	5 1/2 to 8	PE2216M	14	1	2	1	2
22	16	11 to 16	5 1/2 to 8	5 1/2 to 8	PE2216D	15	1	2	1	2
22	18 1/4	6 to 12 1/2	3 to 6 1/4	3 to 6 1/4	PE2218*	15	1	2	1	2



Heights shown are the minimum and maximum heights possible for the case lid and base respectively. Not all lid and base combinations are possible.

Standard Hardware Configuration ->

* = horizontal ribs # = shell w/o ribs

Weight (lbs.)
(approximate at tallest height)

HL I a H I t i S I c n t I h g a e e e y s s s s

Length	Width	Total Height	Lid Height	Base Height	Case I.D.#	tallest height)		e s	e s	
22	18	6 to 9	3 to 4 1/2	3 to 4 1/2	PE2218S	14	1	2	1	2
22	18	10 to 16 1/2	3 to 4 1/2	7 to 12	PE2218M	15	1	2	1	2
22	18	14 to 24	7 to 12	7 to 12	PE2218D	16	1	2	1	2
22	22	7 to 15	3 1/2 to 7 1/2	3 1/2 to 7 1/2	PE2222	16	1	2	1	2
23	8	6 to 9	3 to 4 1/2	3 to 4 1/2	PE2308	9	1	2	1	2
23	10	5 to 6	2 1/2 to 3	2 1/2 to 3	PE2310	10	1	2	1	2
23	10	8 1/2 to 12	2 1/2 to 3	6 to 9	PE2310M	11	1	2	1	2
23	10	12 to 18	6 to 9	6 to 9	PE2310D	12	1	2	1	2
22 1/2	14 1/4	7 to 13	3 1/2 to 6 1/2	3 1/2 to 6 1/2	PE2314*	12	1	2	1	2
23	22	5 to 10	2 1/2 to 5	2 1/2 to 5	PE2322	16	1	2	1	2
24	10	4 to 7	2 to 2 1/2	2 to 4 1/2	PE2410#	12	1	2	1	2
24	13	6 to 13	3 to 6 1/2	3 to 6 1/2	PE2413	11	1	2	1	2
24	16	4 to 10	2 to 5	2 to 5	PE2416#	12	1	2	1	2
24	19	7 to 14	3 1/2 to 7	3 1/2 to 7	PE2419S	13	1	2	1	2
24	19	11 1/2 to 19	3 1/2 to 7	8 to 12	PE2419M	14	1	2	1	2
24	19	16 to 24	8 to 12	8 to 12	PE2419D	15	1	2	1	2
24	20	6 to 18	3 to 9	3 to 9	PE2420D	15	1	2	1	2
24	24	8 to 24	4 to 12	4 to 12	PE2424D	16	1	4	1	2
25	13	4 to 6	2 to 3	2 to 3	PE2513S	11	1	2	1	2
25	13	7 to 10 1/2	2 to 3	5 to 7 1/2	PE2513M	12	1	2	1	2
25	13	10 to 15	5 to 7 1/2	5 to 7 1/2	PE2513D	13	1	2	1	2
25	15	8 to 14	4 to 7	4 to 7	PE2515	13	1	2	1	2
25	16	8 to 14	4 to 7	4 to 7	PE2516	13	1	2	1	2
25 1/4	18 1/4	8 to 13	4 to 6 1/2	4 to 6 1/2	PE2518*	14	1	2	1	2
25	21	4 to 6	2 to 3	2 to 3	PE2521S	14	1	2	1	2
25	21	7 to 10 1/2	2 to 3	5 to 7 1/2	PE2521M	15	1	2	1	2
25	21	10 to 15	5 to 7 1/2	5 to 7 1/2	PE2521D	16	1	2	1	2
25	25	8 to 26	4 to 13	4 to 13	PE2525D	18	1	4	1	2
26	7	6 to 12	3 to 6	3 to 6	PE2607	12	1	2	1	2
26	14	4 to 6	2 to 3	2 to 3	PE2614#	13	1	2	1	2
26	16	7 1/2 to 12	2 1/2 to 4	5 to 8	PE2616M	16	1	2	1	2
26	24	4 to 12	2 to 6	2 to 6	PE2624	19	1	4	1	2
26	26	8 to 18	4 to 9	4 to 9	PE2626D	21	1	4	1	2
27	13	5 to 16	2 1/2 to 8	2 1/2 to 8	PE2713	16	1	2	1	2



Heights shown are the minimum and maximum heights possible for the case lid and base respectively. Not all lid and base combinations are possible.

Standard Hardware Configuration ->

* = horizontal ribs # = shell w/o ribs

Weight (lbs.)
(approximate at tallest height)

HL I a H I t i S I c n t I h g a e e e y s s s s

Length	Width	Total Height	Lid Height	Base Height	Case I.D.#	tallest height)	e s	e s	e s	y s
27	20	7 to 11	3 1/2 to 5 1/2	3 1/2 to 5 1/2	PE2720	18	1	2	1	2
28	14	7 to 13	3 1/2 to 6 1/2	3 1/2 to 6 1/2	PE2814	16	1	2	1	2
28	17 1/2	7 to 10	3 1/2 to 5	3 1/2 to 5	PE2818S	17	1	2	1	2
28	17 1/2	9 1/2 to 14	3 1/2 to 5	6 to 9	PE2818M	18	1	2	1	2
28	17 1/2	12 to 18	6 to 9	6 to 9	PE2818D	19	1	2	1	2
28	20	7 to 10	3 1/2 to 5	3 1/2 to 5	PE2820	18	1	2	1	2
28	22	7 to 12	3 1/2 to 6	3 1/2 to 6	PE2822	19	1	2	1	2
29	12	8 to 12	4 to 6	4 to 6	PE2912S	17	1	2	1	2
29	12	12 to 18	4 to 6	8 to 12	PE2912M	19	1	2	1	2
29	12	16 to 24	8 to 12	8 to 12	PE2912D	21	1	2	1	2
29	18 1/2	8 to 12	4 to 6	4 to 6	PE2919S	18	1	2	1	2
29	18 1/2	12 to 18	4 to 6	8 to 12	PE2919M	20	1	2	1	2
29	18 1/2	16 to 24	8 to 12	8 to 12	PE2919D	22	1	2	1	2
30	10	4 to 8	2 to 3 1/2	2 to 4 1/2	PE3010#	14	1	2	1	2
30	20	4 to 6	2 to 3	2 to 3	PE3020S	20	1	2	1	2
30	20	7 to 10 1/2	2 to 3	5 to 7 1/2	PE3020M	21	1	2	1	2
30	20	10 to 15	5 to 7 1/2	5 to 7 1/2	PE3020D	22	1	2	1	2
30	25	8 to 26	4 to 13	4 to 13	PE3025D	28	1	4	1	2
30	30	6 to 16	3 to 8	3 to 8	PE3030	26	1	4	1	2
31	11	5 to 8	2 1/2 to 4	2 1/2 to 4	PE3111S	15	1	2	1	2
31	11	7 1/2 to 16	2 1/2 to 4	5 to 12	PE3111M	17	1	2	1	2
31	11	10 to 24	5 to 12	5 to 12	PE3111D	19	1	2	1	2
31	15 1/2	7 to 12	3 1/2 to 6	3 1/2 to 6	PE3115	17	1	2	1	2
31	22	7 to 15	3 1/2 to 7 1/2	3 1/2 to 7 1/2	PE3122	22	1	2	1	2
31	29	7 to 14	3 1/2 to 7	3 1/2 to 7	PE3129	25	1	4	1	2
32	14 1/2	7 to 23	3 1/2 to 11 1/2	3 1/2 to 11 1/2	PE3214D	17	1	2	1	2
33	13	4 to 12	2 to 6	2 to 6	PE3313	17	1	2	1	2
34	18	6 to 8	3 to 4	3 to 4	PE3418S	20	1	2	1	2
34	18	9 to 12	3 to 4	6 to 8	PE3418M	21	1	2	1	2
34	18	12 to 16	6 to 8	6 to 8	PE3418D	23	1	2	1	2
35	8	7 to 12	3 1/2 to 6	3 1/2 to 6	PE3508	16	1	2	1	2
36	31 1/2	10 to 25	5 to 12.5	5 to 12.5	PE3632D	30	1	4	1	2
37	12	4 to 8	2 to 4	2 to 4	PE3712#	19	1	2	1	2
37 1/2	19 1/2	6 to 13	3 to 6 1/2	3 to 6 1/2	PE3719S	24	1	2	1	2



Heights shown are the minimum and maximum heights possible for the case lid and base respectively. Not all lid and base combinations are possible.

Standard Hardware Configuration ->

* = horizontal ribs # = shell w/o ribs

Weight (lbs.)
(approximate at tallest height)

H L
a a H
n t i S
d c n t
l h g a
e e e y
s s s s

Length	Width	Total Height	Lid Height	Base Height	Case I.D.#	tallest height)			e s	
37 1/2	19 1/2	11 to 18 1/2	3 to 6 1/2	8 to 12	PE3719M	25	1	2	1	2
37 1/2	19 1/2	16 to 24	8 to 12	8 to 12	PE3719D	27	1	2	1	2
38	9	8 to 14	4 to 7	4 to7	PE3809	18	1	2	1	2
39	17	5 to 6	2 1/2 to 3	2 1/2 to 3	PE3917S	22	1	4	1	2
39	17	7 1/2 to 10 1/2	2 1/2 to 3	5 to 7 1/2	PE3917M	23	1	4	1	2
39	17	10 to 15	5 to 7 1/2	5 to 7 1/2	PE3917D	25	1	4	1	2
40	8	6 to 12	3 to 6	3 to 6	PE4008	19	1	4	1	2
40	18	8 to 16	4 to 8	4 to 8	PE4018	26	1	4	1	2
40	22	8 to 16	4 to 8	4 to 8	PE4022	28	1	4	1	2
42	16	6 to 8	3 to 4	3 to 4	PE4216	26	1	4	1	2
44	8	6 to 12	3 to 6	3 to 6	PE4408	20	1	4	1	2
44	12	6 to 16	3 to 8	3 to 8	PE4412	23	1	4	1	2
44	15	5 to 8	2 1/2 to 4	2 1/2 to 4	PE4415S	24	1	4	1	2
44	15	8 1/2 to 19	2 1/2 to 4	6 to 15	PE4415M	28	1	4	1	2
44	15	12 to 30	6 to 15	6 to 15	PE4415D	32	1	4	1	2
46	13	5 to 8	2 1/2 to 4	2 1/2 to 4	PE4613	24	1	4	1	2
48	14	8 to 14	4 to 7	4 to 7	PE4814	26	1	4	1	2
48	21	6 to 12	3 to 6	3 to 6	PE4821S	24	1	4	1	2
48	21	13 to 28	3 to 6	10 to 22	PE4821M	26	1	4	1	2
48	21	20 to 44	10 to 22	10 to 22	PE4821D	29	1	4	1	2
48	24	8 to 16	4 to 8	4 to 8	PE4824	30	1	6	1	2
54	16 1/2	8 to 13	4 to 6 1/2	4 to 6 1/2	PE5416	28	1	4	1	2
54	20	8 to 13	4 to 6 1/2	4 to 6 1/2	PE5420	32	1	4	1	2
58	20	7 to 12	3 1/2 to 6	3 1/2 to 6	PE5820S	34	1	4	1	2
58	20	14 to 22	3 1/2 to 6	10 1/2 to 16	PE5820M	37	1	4	1	2
58	20	21 to 32	10 1/2 to 16	10 1/2 to 16	PE5820D	40	1	4	1	2